

WALL ACCESSORIES

Unlock the full potential of HYPERVSN Wall with this custom range of Wall accessories. Whether you are looking for a protective screen, an alternative mounting solution or just a quicker way to install the Wall, these accessories will provide everything you need to complete your installation with ease. Bring a new level of convenience and versatility to your set up without compromising your audience's viewing experience.



HYPERVSN Alignment Mount



HYPERVSN Wall Panel



HYPERVSN Wall Frame



HYPERVSN Wall Stand



HYPERVSN Wall Panel

Install a 6-unit (Solo M) HYPERVSN Wall with the ready-made HYPERVSN Wall Panel. This all-in-one solution allows for quicker and easier Wall mounting, complete with a protective transparent shield. The HYPERVSN Wall Panel consists of a wooden back panel (with space behind it for hiding wires and cables) and an acrylic glass screen protector.

KEY BENEFITS:



Quick and easy to install



Sophisticated modern design



No protection barrier required (allowing for up-close engagement)

TECHNICAL SPECIFICATIONS:

Device compatibility: 6-unit Wall (Solo M)

Weight: 37 kg / 81.6 lbs (w/o devices)

Dimensions: 108 cm x 148 cm x 43 cm / 42.5" x 58.3" x 16.9"



HYPERVSN Wall Frame

The HYPERVSN Wall Frame easily installs a Wall of virtually any size, providing an existing wooden framework that devices can be directly attached to. The framework is modular (up to 16 devices per module) so it can be transported effectively and scaled to almost any length (up to 72 devices). This grid-like structure can be fixed to the floor in a few simple steps.

KEY BENEFITS:



All-in-one solution



Scalable solution
for different Wall
sizes

TECHNICAL SPECIFICATIONS:

Device compatibility: up to 16 Solo M devices per module

Weight: 23 kg / 50.7 lbs (w/o devices)

Dimensions: 128 cm x 108 cm x 240 cm /
50.4" x 42.5" x 94.5"



HYPERVSN Alignment Mount

The HYPERVSN Alignment Mount is a lightweight bracket used in Wall installations that are not accompanied by Wall accessories. Its design allows Walls to be mounted on every type of flat, solid surface. There are 2 types of Wall Alignment Mounts required for Wall installations – short and long. The HYPERVSN Wall Alignment Mount is available in Gunmetal Black.

KEY BENEFITS:



Helps to securely mount devices



Extremely lightweight and portable



Can be used on irregular surfaces

TECHNICAL SPECIFICATIONS:

Device compatibility: Solo M devices

Weight:

S – 280 g / 9.88 oz

L – 290 g / 3.17 oz

Dimensions:

S – Diameter 126 mm / 5", Length 66 mm / 2.6"

L – Diameter 126 mm / 5", Length 81 mm / 3.2"



HYPERVSN Wall Stand

Mount up to 6 Solo M devices using the free-standing HYPERVSN Wall Stand. This Wall accessory offers you a practical and aesthetically pleasing solution for transporting and installing HYPERVSN Walls between various locations and customers. The HYPERVSN Wall Stand is the ultimate Wall mount for vertically installing (2x3) HYPERVSN devices at eye-level.

KEY BENEFITS:



Helps to securely mount devices



Allows for adjusting the placement angle



Can be used on irregular surfaces



Extremely lightweight and portable

TECHNICAL SPECIFICATIONS:

Device compatibility: 6-unit Wall (Solo M)

Weight: 19 kg / 42 lbs (w/o devices)

Dimensions: 147.9 cm x 107.6 cm x 43 cm / 58.2" x 42.1" x 16.9"